



Cyber Ho Family



HOLMIUM LASER



Cyber Ho Family

THE REVOLUTION IN HOLMIUM SURGERY

Cyber Ho Holmium lasers (2.1 µm) meet the increasing demand of efficacy, flexibility with unique multi-application laser platforms able to perform both **Lithotripsy** and **HoLEP**.


Cyber Ho can reach up to **152 W** power and brings outstanding innovation by offering the exclusive **Vapor Tunnel™**, **Virtual Basket™** and **MasterPULSE** technologies for advanced retropulsion control. These devices further offer impressive settings regarding energy and frequency (up to **100 Hz**).

General Overwiew

\checkmark	BPH Treatment
\checkmark	Effective Lithotripsy
\checkmark	High Frequency Emission (up to 100 Hz)
~	The Highest Power among Holmium Lasers
\checkmark	Minimized Retropulsion
✓	Reduced Depth of Penetration (0.3 - 0.4 mm)
\checkmark	Soft Tissue Surgery
\checkmark	High Versatility



Double Footswitch



The double footswitch enables **immediate** switch from one emission mode to another, with **complete customization** of pedal-mode association. No bothersome interruptions are needed for settings readjustment.

BPH

HoLEP (Holmium Laser Enucleation of the Prostate) is a proven technique for the treatment of BPH (Benign Prostatic Hyperplasia), with high effectiveness, safety and durability.

The large amount of literature demonstrates its advantages in terms of efficacy and safety with respect to traditional treatments available for BPH.


Recent studies and trials have validated the excellent outcomes achieved by this technique, with its success being reproduced in a diverse array of patients. HoLEP can be applied regardless of prostate size and in retreatment setting, with a low complication incidence and retreatment rate on long term follow-up.

Cyber Ho Family offers full choice regarding settings selection, with superior surgical experience granted by the double footswitch, the intuitive and large modulation of pulse width and the dedicated modes for the different treatment steps.


The endless combinations of settings and multiple tools allow the maximum treatment versatility, so that the surgeon can easily reach the desired outcome.



Starting 5 o'clock incision



12 o'clock incision



Lateral lobe enucleation



FAST CUTTING

The limited depth of penetration, together with the fast tissue incision, results in precise cut without affecting surrounding tissues

RELIABILITY

Clinical outcomes of HoLEP have been widely investigated, with many clinical studies demonstrating its safety and effectiveness also in the long run



SIZE INDEPENDENT

HoLEP overcomes the limitations affecting other BPH techniques regarding prostate size



EFFECTIVE HEMOSTASIS


The Holmium radiation is highly absorbed by water, allowing quick coagulation of bleedings

HIGH POWER

Up to 152 W output, for fast and quick incision, cutting down treatment time

DOUBLE FOOTSWITCH

Quick switch from one emission mode to another (eg. from cutting to coagulation emission)





Vapor Tunnel™

Consisting in a Single Specific Long Pulse,

this emission mode allows limited retropulsion and fine stone ablation. The Vapor Tunnel[™] is designed in order to use the minimum peak power in accordance with selected output settings.



Bubble Dynamics of Vapor Tunnel^{\rm TM}


Leak Powe

Virtual Basket[™]


Composed by a **Double Pulse Emission***,

combines a low retropulsion with a fragment suction effect.

*(time duration separating the two pulses is chosen so that the second pulse is emitted from the distal tip of the fiber when the bubble size, and the corresponding amount of displaced fluid, is at a maximum)



Bubble Dynamics of Virtual Basket™



Advantages of Virtual Basket[™] & Vapor Tunnel[™]



NO EXTRA COSTS

These modes do no need dedicated and more expensive fibers, bringing the mentioned advantages without extra expenses.



MAGNETIC EFFECT

These modes allow stone ablation while holding the target in place, without inducing stone retropulsion



EASIER TREATMENT

With a more stable target, lithotripsy treatment can proceed easily with fewer hassles




TIME SAVING

Less stone retropulsion prevents the time-consuming fiber repositioning, whereas enhanced energy transmission increases the ablation rate This long bubble touching the target represents a direct connection between fiber tip and stone, granting enhanced energy delivery

As the pulse ends, the bubble collapses. The stone is dragged backwards together with the collapsing bubble (like to a virtual basket)



MasterPULSE



General Benefits

7 levels of pulse width offer a

greater flexibility with respect to the

traditional 3 levels offered by the

other holmium devices

Reducing retropulsion and modifying tissue cutting get easier: instead of trying multiple different settings, start with your preferred ones and then adjust the MasterPULSE to tune the effect of laser emission based on your visual feedback. Regulation of pulse width has never been so easy!



CUTTING DOWN TREATMENT TIME

Obtain the desired effect quickly, without getting mad with the standard adjustment of energy and frequency parameters

EASE OF TREATMENT

Experience a more intuitive and different way to adjust laser settings, simply based on your visual feedback

FIBER RECOGNITION

Cyber Ho automatically adjusts emission settings based on the connected fiber diameter





REUSABILITY

All regular fibers are available both as disposable and reusable (except ball tip model)



CLEANING

Reusable fibers can be sterilized by Sterrad[®] and steam sterilization



STERILIZATION TRAY

A dedicated tray for sterilization of fibers and tools




BALL TIP FIBER

This specific probe strongly simplifies the insertion in already bent scopes

Applications

Cyber Ho Family can be used to perform incision, excision, resection, ablation, vaporization, coagulation and hemostasis of soft tissue and in lithotripsy of stones in various medical specialties, including:



Technical Specifications

	Cyber Ho 60	Cyber Ho 100	Cyber Ho 150	
Wavelength	2,1 µm	2,1 µm	2,1 µm	
Average power	Up to 60 W	Up to 105 W	Up to 152 W	
Repetition rate	Up to 60 Hz	Up to 80 Hz	Up to 100 Hz	
Energy per pulse	Up to 5 J	Up to 5 J	Up to 5 J	
Pulse duration	50 ÷ 1100 µs	50 ÷ 1100 μs	50 ÷ 1100 µs	
Beam delivery	Wide range of flexible silica fibers			
Aiming beam	532 nm (adjustable <5 mW) - Class 3R			
Fiber recognition	RFID System			
Activation	Double footswitch			
Electrical requirements	200-230 Vac; 50/60 Hz; 5 kVA (Cyber Ho 60) 230 Vac; 50/60 Hz; 6.2 kVA - 208 Vac; 50/60 Hz; 6.2 kVA (Cyber Ho 100) 230 Vac; 50/60 Hz; 7.36 kVA - 208 Vac; 50/60 Hz; 7.36 kVA (Cyber Ho 150)			
Cooling	Internal chiller			
Operating temperature	10°C ÷ 30°C			
Laser class	4			
Dimensions and weight	52 cm (W) x 120 cm (D) x 123 cm (H) (monitor closed), up to 260 kg			

VISIBLE AND INVISIBLE LASER RADIATION Avoid eye skin exposure to direct or scattered radiation Laser product: Class 4 Aiming beam: Class 3R



Note: National local authorities may put restrictions to the parameters indicated in the table in the prevoious page, or may limit or remove certain intended uses. Specifications are subject to change without notice.

Quanta System products are manufactured according to the International standards and have been cleared by the most important International notified bodies.

The Company is UNI EN ISO 9001:2015 and EN ISO 13485:2016 certified. Quanta System S.p.A. was founded in 1985 and belongs to the El. En. Group (a public company listed in the Star segment of the Italian Stock Exchange) since January 2004.

The company, divided into three business units (medical, scientific and industrial) is specialized in manufacturing of laser and optoelectronic devices.



